Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,73

★ FFB 1 9 1929 ★

TREE, SHRUB AND FRUIT SEEDS

PRICE LIST Autumn 1928 - Spring 1929



Thomas J. Lane
SEEDSMAN
Dresher, Penna., U. S. A.

Conditions and Terms

All offers and acceptances of orders are subject to my receiving the full quantity for which I have placed orders with my growers and collectors. Failing to get these amounts, I reserve the right to reduce proportionately all orders that have been booked; or fill orders in rotation received while supply lasts.

The prices in this list are based on an average crop and normal cost of collecting and preparing the seed. If though unforseen contingencies the cost of any item is extraordinarily increased I reserve the privilege of proportionately advancing the price of such items of accepted orders, subject to the buyer's option to pay the increased price or cancel those parts of his order.

I give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants I send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

All Claims Must be Made Upon Receipt of Goods

AFTER GOODS ARE PLACED ON BOARD CARS HERE, I ASSUME NO RESPONSIBILITY FOR THEIR SAFE DELIVERY OR ANY INJURY CAUSED BY DELAY IN DELIVERY BY THE TRANSPORTATION COMPANY.

SACKS AND BOX AND PACKING CHARGED ADDITIONALLY.

Not less than one-half pound will be supplied at pound rates nor one-quarter bushel at bushel rates.

When seeds are to go by mail, postage is charged at Parcel Post rates in U. S. A. Consult your postmaster as to your zone and allow charges accordingly. Foreign countries 12c. per pound for postage. SATISFACTORY ARRANGEMENTS FOR PAYMENT MUST ACCOMPANY ORDERS FROM UNKNOWN CORRESPONDENTS.

All P. O. orders payable at Dresher, Pa., U. S. A.

Terms-Net Cash.

SPECIAL PRICES WILL BE QUOTED ON LARGE QUANTITIES.

Cable Address "LANE AMBLER" A. B. C. Code 4th and 5th Edition.

All orders will receive my best attention. Packing for shipment will receive special care and seeds will be packed in a manner that will permit their reaching destination in perfect order.

Thomas J. Lane SEEDSMAN Dresher, - - Penna.

October 1st, 1928

General Information and Suggestions For Planting

Seeds to germinate must have the proper conditions of heat and moisture. These conditions vary greatly with different seeds. Experience and close attention are necessary to successful propagation and the propagator must be a close observer of the wants and habits of trees and plants and be able to gather knowledge from what he may see. Owing to certain conditions of moisture, temperature and time which they do not always meet with after sowing, seeds sometimes fail to appear the first season. Examine them at close of Spring, and if found sound do not disturb them, and their germination may be looked for the season following.

Seeds of deciduous trees and shrubs are best sown in the Fall, pines and similar evergreens in Spring, but deciduous ones will grow very well sown in Spring if kept in good condition through the Winter. When sown in Spring seeds of a hard, bony nature, such as the yellow locust, are best soaked in hot water for a day or two and then sown at once. Seeds of maples, ash, magnolia, beech, all nut trees, as well as many other kinds require to be kept slightly moist over Winter if not sown in Fall; on the other hand, catalpa and some others may be kept quite dry until Spring comes.

Junipers, hollies and a few similar seeds remain a full year before sprouting. It is just as well, therefore, to keep them in a box of soil until the next Autumn, then sow them.

If the planting is done in the Fall it is better to mulch the ground with straw, leaves, or any like material; this will prevent baking of the soil after the Spring rains, and keep it in a nice mellow condition. The mulching should be removed in the Spring, or, at least so much that it will not interfere with the growth of the young seedlings.

The seed of evergreens is always found in cones, with the exception of the juniper and yew, which produce small berries; hence, the general name applied to evergreens of coniferae, or cone-bearing.

The soil most suitable for raising conifers is a light sandy loam, rich in vegetable matter, but entirely free from rank manures. soil should be deeply spaded and thoroughly pulverized. Then lay off in beds four feet wide, and any desirable length, with paths of one foot between. The beds should be higher in the middle, the sides being but little higher than the paths. The seed is usually sown broadcast and then carefully and lightly raked in; but some prefer sowing in drills a few inches apart, then rolling, or pressing with back of the space, and sifting over them a very light covering of oneeighth to one-quarter of an inch of soil. The ground should be prepared the Fall before, and the seed put in at the earliest possible moment in the Spring. Most failures in growing evergreen seedlings arise from not having the seed beds partially shaded. If hot sunshine falls on them while the seeds are swelling, and cold follows, a large proportion will rot before they appear above the ground. When seedlings are raised extensively artificial arbors are made high enough to work under. When the growing is done on a less extensive scale, stakes are driven at convenient distances along the sides of the beds to which boards six inches wide are nailed, to support screens for shading the young seedlings. The lower edge of these boards should be but four or five inches above the surface of the ground, to allow the air to circulate freely over the beds. screens are very satisfactory.

The following suggestions may be of service to the nurseryman, but should be changed as conditions may require.

Andromeda Azalea	Kalmia	Rhododendron	Sow in peat moss or fine leaf mould in well protected seed bed.
Carpinus Edgeworthia	Prunus	Silver maple Quercus Ulmus	Sow as soon as possible after seeds are received.
Acer Aesculus Benzoin Calycanthus Caragana Carpinus Celtis Chionanthus	Cinnamommum (in warmer weather) Cornus Corylus Fraxinus Juglans Liriodendron	Ligustrum Pinus Strobus Prunus Roses Taxodium Tilia Rhus Syringa	Sow in Autumn or when seed arrives.
Actinidia Akebia Berberis Catalpa Cercidiphyllum Clematis	Desmodium Diospyrus Fagus Gleditschia Juniperus Kerria	Paeonia Pines Pyrus Sambucus Sophora Staphylea	Sow in early spring.
Abies Ampelopsis Aralia Aucuba Betula Biota Buxus Celastrus Cercis Chamaecyparis Clethra Cryptomeria Cydonia	Euonymus Ginkgo Hibiscus Ilex Larix Lindera Liquidambar Magnolia Morus Nandina Paulowina Photina Picea	Pinus Pueraria Rhodotyphus Robinia Sciadopitys Spirea Styrax Taxus Thujopsis Tsuga Viburnum Wisteria	Sow in spring after danger of frost is past and soil is warm.
Carya Crataegus Juniperus	Magnolia Rhodotyphus Taxus	Tilia Viburnum	Stratify before sowing; seeds germinate slowly.
Buxus Camellia Cercis Gleditschia	Ilex Photinia Pueraria Robinia	Rosa Sophora	Soak in hot water just before planting.
Ampelopsis Aucuba Berberis Cinnamomum Euonymus	Ginkgo Hedera Ligustrum Lindera Magnolia	Prunus Rosa Sapindus Viburnum	Wash off thick pulp before strati- fying or sowing.

Practical Plant Propagation by Hottes, is a very helpful book for planters. It contains much valuable information. Price \$2.15 Postpaid.

Evergreens

Evergreens			
		Qua	intities
			10 lbs. nd over
	Per oz.	Per lb.	
Abies amabilis, California Fir	.75	6.00	5.25
" balsamea, Balsam Fir	.50	4.00	3.50
" brachyphylla (homolepsis)	.40	2.50	2.25
" concolor, California Silver Fir	.40	3.00	2.50
" concolor, Colorado Silver Fir	.35	2.25	2.00
" firma, Japanese Fir	.45	2.00	1.75
" Fraseri, Double Balsam	.50	5.00	4.75
" grandis, Pacific Coast Fir	.50	4.50	4.00
" magnifica	.40	3.25	2.85
" nobilia	.50	4.00	3.75
" nobilis			$\frac{3.15}{2.65}$
	.50	3.00	
" pectinata, European Silver Fir	.35	1.25	1.00
" Pinsapo, Spanish Fir	.35	3.00	2.50
vertenn	.35	3.25	2.90
Araucaria excelsa	.50	4.50	0.07
Berberis Aquifolium (Mahonia) Clean Seed	.50	3.50	3.25
Japonica	.60	4.50	4.00
Buxus sempervirens, Box	.35	2.50	2.25
Cedrus Atlantica, Mt. Atlas Cedar	.35	3.00	2.65
" Deodora, Deodar Cedar	.40	2.75	2.25
" Libanni, Lebanon Cedar	.40	3.00	2.75
Chamaecyparis Lawsoniana	.50	2.75	2.50
" obtusa	.30	1.85	1.65
" pisifera	.30	1.85	1.65
Cinnamomum Camphor, Camphor tree	.25	1.75	1.50
Crataegus Pyracantha, Evergreen Thorn	.35	1.50	1.25
Cryptomeria Japonica, Japanese Cedar	.25	1.75	1.50
Cupressus Arizonica	.35	2.50	2.25
"Benthamiana	.75	5.00	2.20
Denthamiana	.50	3.50	
Govennana	.00	0.00	
Lawsoniana (same as	.50	2.75	2.59
Chamecyparis)			2.55
Macrocarpa, Monterey Cypress	.50	2.75	$\frac{2.55}{1.25}$
sempervirens norizontans	.25	1.50	1.50
sempervirens pyramidalis	.35	2.00	1.50
Thomphe de Boskoop	1.00	10.00	
Eucalyptus globulus	1.00	8.00	
Gunni	1.25	10.00	
rostrata	1.00	8.00	
" viminalis	1.00	8.00	
Ilex Aquifolium, English Holly	.35	1.75	1.50
" Crenata Japanese Holly	.40	2.75	2.50
" Opaca American Holly	.25	.90	.75
" Sieboldi	.35	2.75	2.50
Juniperus Chinensis, Chinese Juniper	.25	1.25	1.00
" california California Juniper	.40	3.00	2.75
" communis, Common "	.25	1.00	.85
" excelsa	.35	2.50	2.25
" Monosperma	.35	2.25	2.00
" occidentalis, Western "	.50	3.50	
" Pachyphlaea	.25	1.50	1.35
" prostrata	.25	1.65	1.35
" Sabina Berries	.35	2.25	2.10
Danma Derries	.00	4.40	4.10

Evergreens-Continued

			antities 10 lbs.
		a	nd over
Tominum C vil	Per oz.	Per to.	
Juniperus Scopulorum	35	1.75	1.50
Virginiana Red Cedar	25	.75	.65
Northern type.	35	1.00	.75
Kalmia angustifolia, Laurel, C. S	75	7.50	
" Latifolia Sheep Laurel, C. S	75	7.50	
Larix Dahurica Korean Larch	40	4.00	3.85
" Europaea European Larch, 50 lbs. at			
\$1.50 per lb	25	2.00	1.75
" Leptolepsis, Japanese Larch, 50 lbs. at			
\$3.25 per lb	40	3.85	3.50
Laurus nobilis, Sweet Bay	25	1.50	1.25
Libocedrus Decurrens, Incense Cedar	35	2.50	1.85
Magnolia grandiflora, Evergreen Magnolia	25	1.50	1.35
Photinia Arbutifolia, Christmasberry	25	1.50	1.35
Picea Canadensis Alba, White Spruce	50	4.50	4.00
" bicolor, (alcoquiana), Japanese Spruce		5.10	4.85
" canadensis, Black Hill Spruce		6.50	6.00
" Englemanni		5.00	4.75
" excelsa, 100 lbs. at \$1.15 per lb	25	1.50	1.30
" Koyamai	80	8.50	
" nigra, Black Spruce		8.00	7.50
" orientalis, Oriental Spruce		12.50	****
" Polita		5.00	4.75
" pungens glauca (Colorado seed)		6.00	5.50
" pungens, Kosters Blue Spruce	. 1.50	12.50	9.90
" rubra, Red Spruce		8.00	
" Stichensis (Menziesii)		5.50	5.00
Pinus aristata, Hickory Pine	50	4.00	3.75
" austriaca (same as Nigra) (50 lbs. at \$1.25		1.75	1.35
"Banksiana, Jack Pine		3.75	3.35
" Canariensis, Canary Island Pine		2.50	2.10
" Caribaea (Cubensis) Slash Pine		5.00	4.75
" cembra		1.00	.90
" Contorta, Shore Pine		6.50	6.25
" Coulteri, Big Cone Pine		5.00	4.75
" Densiflora, Japanese Red Pine		1.75	1.50
" Echinata (Mitis), Yellow Pine		7.50	7.25
" edulis, Pinyon Pine, also Nut Pine		1.25	1.00
" Excelsa, Himalayan Pine		3.00	2.50
" Flexilis, Limber Pine		3.50	3.00
" insignis, See Pinus Radiata (50 lbs. at	50	0.00	5.00
\$2.60 per lb.)	35	3.00	2.75
" Jeffreyi		3.00	$\frac{2.75}{2.75}$
		1.75	1.25
" Koraiensis		2.00	1.75
" Lambertiana, Sugar Pine		$\frac{2.00}{3.50}$	3.25
" Laricio, Corsican Pine			$\frac{3.25}{3.75}$
Monophyna, Single Leaf Pine		$\frac{4.00}{2.50}$	2.35
" Montana		$\frac{2.50}{5.50}$	5.00
" monticola. Pacific Coast White Pine			0.00
mugnus, Seed from select plants		6.00	5.50
mugnus, Dwart Mountain Pine		3.00	2.75
Muricata, Prickle cone pine		5.50	5.00
" Murryana, Lodgepole Pine	60	6.00	5.75

Evergreens-Continued

		r⊋ua	ntities
		of	10 lbs
		an	d over
	er oz. .35	Per lb. 1	1.35
Pinus nigra, Austrian Pine (50 lbs. at \$1.25)	.25	$\frac{1.75}{2.50}$	2.00
paraseris, (Austrans), Long Leaf I me			
parviiona, Japan Wille Pine	.40	3.50	3.00
pentaphyna	.40	3.50	3.00
Pinea, Italian Stone Pine	.25	1.00	.85
Fonderosa, Buil Pine	.35	2.50	2.00
(scopulorum) (From Colorado)	.25	2.00	1.75
" radiata (insignis) Montery Pine (50 lbs.			
at \$2.25 per lb.)	.35	2.75	2.50
resinosa, Red Pine	1.50	17.50	15.00
Rigida, Pitch Pine	.65	6.25	6.00
Sabiniana, Digger Pine	.25	1.50	1.35
" strobus, White Pine (100 lbs. at \$2.10 per			
1b.)	.40	2.75	2.50
" Sylvestris var (reginsis) Riga Scot		4.00	3.50
Pine			
" sylvestris, Scotch Pine (50 lbs. at \$1.50)	.35	2.00	1.75
" Taeda, (Oldfield) Loblolly Pine	.60	5.25	5.00
"thunbergii, Japanese	.25	1.75	1.60
Pseudotsuga Douglassii, Douglas Spruce green.	.75	6.50	6.00
" Douglassii, Douglas Spruce Colo	.60	5.00	4.85
Retinispora obtusa (Same as Chamaecyparis)	.35	1.85	1.65
" Pisifera " "	.35	1.85	1.65
Rhododendron catawbiense, Mountain Laurel,	.00	2.00	2,00
Rhododendron Maximum clean seed			
Sciadopitys verticillata, Umbrella Pine	.40	3.50	3.25
Sequeia Gigantea, Big tree.	1.50	15.00	0.20
" sempervirens, California Red Wood	.40	3.00	2.75
Taxus baccata, English Yew	.35	2.25	2.00
" Brevifolia, California Yew	.75	7.50	7.00
" cuspidata, Japanese Yew (50 lbs. at	. (0	1.50	1.00
\$2.20 per lb.)	.35	2.75	2.35
Thuya Gigantea, Western Arbor-vitae	.60	5.00	4.00
" Occidentalis, American "	.50	4.00	3.75
" orientalis, Chinese Arborvitaea	.20	1.25	.90
" Compacta	.35	$\frac{1.25}{3.00}$	2.50
	.35	$\frac{3.00}{3.00}$	$\frac{2.30}{2.75}$
mana	.30	$\frac{3.00}{2.50}$	$\frac{2.75}{2.15}$
aurea, Chinicse Golden	.50	$\frac{2.30}{7.00}$	6.50
Tsuga Canadensis, Hemlock Spruce	77		
caronnana, Caronna Hemiock	.75	8.00	7.50
diversitona	.60	4.50	4.25
Mertensiana, western Spruce	1.25	11.00	4.05
Stepotut, Japanese Spiuce	.60	4.50	4.25
Ulex Europaea, Furze	.35	2.50	1.77
Yucca filamentosa, Adam's Needle	.25	2.00	1.75
Deciduous Trees and Sh	rubs		
Decided if the all of	_ 400		intities
			10 lb
	D	a	nd over
Acon compostro English Manle	Per oz.	Per lb.	
• Acer campestre, English Maple	.20	.75	.60
" dasycarpum, Silver (Ready in May only)	.20	.75	.50
" Ginnale	.30	2.50	2.35

Deciduous Trees and Shrubs-Continued Quantities

			antities f 10 lbs.
		8	and over
		Per lb.	
Acer Japonicum		2.75	2.35
" Negundo, Ash Leaf Maple		1.25	1.00
macrophynam, Oregon Maple		.60	.40
parmatum (50 lbs. at \$2.10 per lb.)		3.00 12.00	$\frac{2.50}{11.50}$
Paimatum, Atropurpureum, Japan Blood.		.85	.60
" Platanoides, Norway		2.00	1.75
" Platanoides, Schwedleri Blood leaf " Pennsylvanicum (Striatum) Striped leaf.		2.00	1.85
" rubrum, Red Maple (Ready in May only).		3.00	2.85
" saccharum. Sugar Maple		1.00	.85
" spicatum, Mountain "		2.75	2.50
" striatum, (same as Pennsylvanicum)		2.00	1.85
Aesculus hippocastanum, Horse Chestnut		.60	.40
" rubicunda, Red Flowering		1.50	1.25
Ailanthus glandulosa, Tree of Heaven		1.00	.75
Amorpha Fruticosa Indigo Shrub	20	.65	.50
Andromeda (Pieris) Japonicum, Clean Seed		12.00	
Aralia Spinosa, Angelica tree	35	3.00	2.50
Aronia Arbutifolia, Red Chokeberry	20	1.25	1.10
" Melanocarpa, Black Chokeberry		1.00	.85
Asimina triloba, Pawpaw		1.35	1.10
Aucuba Japonica		2.00	1.85
Azalea Calendulacea, Clean Seed	. 1.00	8.00	
minodigeri,			
" Mollis, " "		10.00	
Nutritora		8.00	
		8.00 1.25	1 10
Benzoin Aestivale, Spicebush.		1.25	$1.10 \\ 1.25$
Berberis Thunbergii, Japanese Barberry berries. " " Clean Seed "		3.50	3.10
" vulgaris, Common Barberry		1.10	.90
" " Purpurpea, Purple Barberry		2.00	1.75
Betula alba, European White Birch		.75	.65
" " re-cleaned		2.50	2.10
" Lenta, Sweet Birch		2.25	
" Lutea, Yellow "		2.25	1.85
" Papyracaea, Paper "		2.50	2.00
" populifolia, Poplar Birch	25	1.50	1.35
" Rubra, Red (Ready in July only)	50	3.50	
Calycanthus floridus laevigatus, Sweet Shrub		1.50	
Caragana arborescens, Siberian Pea		1.60	1.35
Carpinus Americana, Hornbeam, Clean Seed		1.25	1.00
" Betulus, European "	20	.75	.60
Carya, (same as Hicoria)			
Castanea Americana, American Sweet	1 =	0.5	F.0
Catalna anaciasa Western actalna		$\frac{.65}{1.25}$	
Catalpa speciosa, Western catalpa		1.25 4.50	
Celtis occidentalis, Nettle Tree		$\frac{4.50}{1.25}$	1.00
Cephalanthus Occidentalis, Button Bush		.75	
Cercidyphyllum Japonicum, Katsura tree		6.00	
Cercis Canadensis, Judas Tree		1.85	
Cololo Calladellolo, Vadao 1100 11111111111111111111111111111111	20	1.00	2.,0

Deciduous Trees and Shrubs-Continued

			f 10 lbs.
	_	a	nd over
		Per lb.	
Cercis Japonica, Japan Judas tree		6.00	5.50
Chionanthus Virginica, White Fringe		3.25	2.85
Citrus trifoliata, Hardy Orange		2.00	1.90
Clethra alnifolia, Sweet Pepper Bush		1.50	1.25
Colutea arborescens, Bladder Nut		1.25	1.00
Cornus alternifolia, Blue-berried Dogwood		1.50	1.15
" amomum, (Sericea)		1.25	1.00
Horida, White Dogwood Berries		.60	.50
120usa		3.00	2.75
mas, Cornellan Cherry		1.25	.90
Nuttain, Pacific Coast Dogwood	.25	1.75	1.65
Fameulata, Gray Dogwood		1.00	.95
Sanguleneum		1.00	.85
" Siberica		1.75	1.60
Corylus americana, Hazel Nut		.75	.65
" avellana, European Filbert		2.25	$\frac{.65}{2.10}$
i ui pui ca			1.75
Cotoneaster acutifolia		2.00	2.35
" horizontalis		2.75	
" cordate Washington " "	.20	.75 .90	.65 .80
" cordata, Washington " "" " crus-galli, Cockspur "	20	.75	.65
" oxycanthus, Clean Seed		1.00	.05 .75
Cydonia Japonica, Clean Seed		$\frac{3.25}{5.00}$	$\frac{3.00}{4.75}$
Cytissus scoparius, Scotch Broom		1.50	1.35
Diospyros Kaki, Large Improved Type		2.00	1.65
" Lotus, Good for Stocks	25	.85	.65
" Virginiana, Persimmon, Clean Seed	25	.75	.60
Eleagnus Angustifolia, Russian Olive	.20	.80	.65
" longipes		3.25	3.00
" umbellatus, Autumn eleagnus		3.00	$\frac{3.00}{2.75}$
Euonymus Alatus, Winged burning bush		$\frac{3.00}{2.75}$	2.40
" Americanus, Burning Brush		1.50	1.40
" Atropurpureus		2.00	1.90
" Europeus		1.50	1.25
" Japonicus, Evergreen Euonymus		2.50	2.25
" japonicus Aurea		3.50	3.25
Exochorda Grandiflora, Pearl bush		3.50	$\frac{3.25}{3.25}$
Fagus Americana, American Beech	25	1.00	.85
" sylvatica, European "		.75	.65
" purpurea, Blood-leaved		2.25	1.85
Fraxinus Americana, White Ash		1.00	.75
" excelsior, European "		.75	.60
" Oregona		3.00	.00
" Ornus, Flowering "		.85	.65
" sambucifolia, Black "		3.00	.00
" viridis, Green "		.60	.50
Genista Tinctoria Dyers Greenwood		1.75	1.60
Ginko biloba (Salisburea adaintifolia) Maiden-	40	1.10	1.00
hair-tree	25	.75	.65
Claditachia Triocanthus Honey Locust	20		

1928-29

THOMAS V. LANE DRESHER PA. Deciduous Trees and Shrubs—Continued

Decidious Trees and officials		101111000	
			antities
		01	f 10 lbs
			nd over
	Per oz.	Per 1b.	Per 1b.
Gymnocladus Canadensis, Kentucky Coffee	.20	.75	.65
Halesia tetraptera, Snowdrop Tree	.25	1.50	1.15
Hamamelis Virginica, Witch Hazel	.25	2.00	1.75
Hibuscus Syriacus, Althea clean seed		1.25	
	.35	1.45	1.10
Hicoria Alba (Carya Tomentosa) Mockernut			
Cordiformis (Carya Amara) Bitternut			
" Glabra (C. porcina) Pignut	.10	.25	.16
" Lacinosa (C. Sulcaat) Shellbark	.10	.25	.18
" ovata (C. Alba) Shagbark	.15	.25	.17
" Pecan (C. olivaeformis) Pecan	.15	.60	.50
Eippophaea rhamnoides, Sea Buckthorn	.25	1.50	1.25
Ilex decidua	.25	1.50	1.15
" Fugisanensis	2.50	25.00	
" Verticillata, Winterberry	.25	1.25	1.00
Juglans Cinerea, Butternut	.10	.25	.15
" California	.15	.75	.60
" Cordiformis, Heart Nut	.15	.65	.50
nigra, Black Wainut	.10	.20	.14
" Regia, English Walnut	.10	.65	.60
" Sieboldiana	.15	.65	.50
Kerria Japonica	.50	3.75	2.85
Koelteruria Paniculata, Varnish Tree	.15	.75	.60
	.10	.10	.00
Larix Europea, European larch (50 lbs. @	0=	0.00	4 55
\$1.60)	.25	2.00	1.75
" leptolepsis (50 lbs. at \$3.10 per lb.)	.50	4.00	3.25
" Occidentalis	.75	7.50	7.00
Laburnum vulgare	.25	1.25	1.10
Ligustrum Ibota berries	.15	.50	.40
" vulgare	.20	1.00	.65
	.20	1.25	1.00
Lindera Benzoin, Spice Bush			
Liquidambar styraciffua, Sweet Gum	.35	3.50	3.25
Liriodendron tulipifera, Tulip Tree	.20	1.00	.75
Lonicera Tartarica	.35	3.50	
Maclura aurantiaca, Osage Orange	.25	1.50	1.25
Magnolia acuminata		2.00	1.75
" Glauca, Sweet Bay		3.50	3.25
	*	1.75	1.60
" grandiflora, Evergreen			
Moous		2.25	2.00
" tripetela		2.00	1.50
"Yulan (conspicua)	1.00	7.50	
Morus alba. White Mulberry	.25	2.00	1.85
" tartrica, Russian Mulberry	.35	2.50	2.25
Myrica cerifera, Wax Myrtle		1.50	1.20
Negundo Aceroides, Ash-leaved Maple		.65	.50
		2.50	2.25
Nandina Domestica, Clean Seed			
Nyssa aquatica, Sour Gum		1.25	1.00
" multiflora (sylvatica)	.25	1.25	1.00
" uniflora	25	1.25	1.00
Oxydendrum arborcum (Andromeda) Clean Seed	.50	3.75	3.50
Paeonia, moutan Tree paeony		8.00	7.50
Paulowina imperialis, Empress Tree		1.25	1.00
		10.00	2.00
Pieris japonica (Andromeda) Clean Seed	1.20	10.00	

Deciduous Trees and Shrubs—continued

			10 lbs.
		a	nd over
	Per oz.		Per lb.
Platanus occidentalis, American Plane	.20	1.00	.75
" orientalis, Oriental Plane	.20	.85	.70
Prinos verticillatus, Winterberry	.25	1.25	1.00
Prunus serotina, Clean Seed	.20	1.00	.75
Ptelea trifoliata, Hop Tree	.25	1.00	.90
Pyrus americana (same as sorbus)	.25	1.35	1.15
Pyrus acuparia (same as sorbus)	.15	.75 1.00	.60
" arbutifolia (same as sorbus)	.25		
Quercus Coccinea, Scarlet Oak	.10	.35	.25 .25
raicata, Spanish Oak	.10		.25
" ilicifolia, Scrub Oak	.10 .10	$.50 \\ .35$.25
" Michauxii	.10	.35	.25
" macrocarpa, Bur Oak	.10	.35	.25
	.10	.40	.30
" Nigra, Black Jack" " palustris, Pin Oak (50 lbs. @ .30)	.10	.40	.35
" Phellos, Willow Oak	.10	.40	.34
" rubra, Red Oak	.10	.30	.20
" tinctoria, Black Oak	.10	.35	.25
Rhamnus Cathartica, Buckthorn	.20	1.25	1.00
" Caroliana	.25	1.75	1.60
" Frangula	.25	1.50	1.25
Rhodotyphus Kerroides, Jet bead.	.35	2.50	2.25
Rhus aromatica (Canadensis)	.25	1.50	1.25
" Copalina, Shining Sumach.	.20	.90	.70
Rhus Cotinus, Mist Bush	.50	3.50	3.25
" Glabra, Smooth Sumach	.20	.75	.50
"Typhina, Stags horn sumach	.20	.75	.50
Ribes sanguieneum, Flowering Currant	.50	4.00	3.50
Robina Pseudacacia, Yellow or Black Locust	.20	.85	.60
Rosa blanda, Meadow Rose	.20	1.25	.95
" canina	.20	1.00	.70
" Carolina	.25	1.25	1.10
" humilis	.25	1.15	.90
" lucida	.25	1.25	1.10
" Multiflora Japonica Berries, American	.20	1.25	1.00
" Clean Seed, European.	.25	1.50	1.25
" Rubignosa	.25	1.25	1.00
" Rugosa, Clean Seed	.25	1.75	1.40
" Setigera, Berries Wild Rose	.20	1.35	1.15
Salisaburia Adiantifolia (same as Gingko)	.20	.60	.50
Sambucus Canadensis, Elder, Clean Seed	.50	4.00	3.75
Sassafras officinale	.25	1.50	1.25
Sophora Japonica, Pagoda Tree, Clean Seed	.20	1.00	.85
Sorbus Americana, American Mt. Ash	.25	1.35	1.15
" Aucuparia, European Mt. Ash	.15	.75	.60
Spiraea Opulifolia. Clean Seed	.40	4.00	
Syringa dilata, Korean lilac clean seed	1.50	12.00	
" japonica, Japanese Tree Lilac	.75	8.00	7.50
" vulgaris, Common Lilac, Clean Seed.	.40	3.50	3.00
" alba, White Lilac	.60	5.00	4.50
Taxodium distichum, Deciduous Cypress	.25	1.25	1.50

Deciduous Trees and Shrubs-Continued

	Per oz.	of an	antities 10 lbs.
Tilia Americana, American Linden	.25	Per lb. 1.50	1.10
" argenta, European Silver Linden	.20	1.00	.90
" Platyphyllos large leaf, European Silver			
Linden	.20	1.00	.80
vuigaris smail leat	.20	1.15	.90
Ulmus Americana, American Elm (In Mayonly)	.25	1.25	.75
Viburnum acerifolium berries	.20	.75	.50
" carlesii	.75	6.00	5.50
Cassinoides	.20	1.25	1.10
Dentatum	.20	1.15	.95
Viburnum Lantana D. B	.25	1.25	1.00
" Lentago Berries	.25	1.25	1.10
" Oxycoccos "	.25	1.25	1.10
" Prunifolium "	.20	1.00	.70
Vines and Climbers			
Alrabia Quinata	25	0.05	0.00
Akebia, Quinata	.35	2.25	2.00
Ampelopsis veitchii, Japan creeper berries	0.5	1.65	1.25
" " " Clean Seed	.25	2.00	1.50
viiginica, viiginia	.25	1.90	1.75
Aristolochia Sipho true variety	50	4.50	4.00
Celastrus scandens, Berries	.25	1.50	1.25
Clean Seed	.40	3.75	3.00
Clematis flammula, Sweet Clematis	.25	1.50	1.25
" paniculata, real clean seed (this is clean seed, practically free from all			
foreign matter and not to be con-			
fused with inferior quality offered at			
a less price)	.35	3.25	3.00
virginiana	.50	4.50	
" Vitalba, English Clematis	.25	1.25	1.00
Hedera Helix, Ivy	.25	1.25	1.00
Pueraria thunbergiana	.35	2.25	2.00
Tecoma radicans, Trumpet Vine	.35	2.25	2.00
Wisteria frutescens	.40	3.00	
" multijuga, Blue	.50	3.75	3.25
" sinensis (Chinese) Blue	.20	1.50	1.10
" White	.35	3.00	2.75
Fruits			
Apple, French Crab	.25	1.00	.85
" Austrian	.20	.85	.65
Cherry, Mahaleb clean stones (50 lbs. at .85)	.25	1.25	1.00
" mazzard	.20	.85	.70
Myrobolan plum (50 lbs. at .60 per lb)	.20	1.00	.75
Peach Pits, Natural 50 lbs. at 10c	.10	.20	.15
Pear, French Pear	.35	3.50	3.00
Pyrus calleriana, Chinese tree pears	.50	6.75	6.00
" serotina, Japan pear	.50	5.00	4.75
" usseriensis cultivated variety	.60	8.00	7.50
Quince	.35	2.75	2.50
12	,,,,		
**			